

PRODUCT-DETAILS

3BSC630049R1 TC562 Short Distance Modem



General Information	
Product ID	3BSC630049R1
ABB Type Designation	TC562
Catalog Description	TC562 Short Distance Modem
Long Description	Length < 10 km. Point-to-point up to 1 km at 19200 bps. G1 compliant. Power 24V d.c. To be used with Cl531, Cl532Vxx, Cl534Vxx, Cl853.
	Note! This part is exempted from the scope of 2011/65/EU (RoHS) as provided in Article 2 (4)(c), (e), (f) and (j) therein (ref.: 3BSE088609 – EU DECLARATION OF CONFORMITY - ABB Advant Master Process Control System)

Additional Information Length < 10 km. Point-to-point up to 1 km at 19200 bps. G1 compliant. Power 24V d.c. To be used with Cl531, Cl532Vxx, Cl534Vxx, Cl853. Note! This part is exempted from the scope of 2011/65/EU (RoHS) as provided in Article 2(4)(c), (e), (f) and (j) therein (ref.: 3BSE088609 – EU DECLARATION OF CONFORMITY - ABB Advant Master Process Control System) Product Type Communication_Module

Ordering

Country of Origin Sweden (SE) HS Code 851762-- Telephone sets, including telephones for cellular networks or for other wireless networks; other apparatus for the transmission or reception of voice, images or other data, including apparatus for communication in a wired or wireless network (such as a local or wide area network), other than transmission or reception apparatus of heading 84.43, 85.25, 85.27 or 85.28.-Other apparatus for transmission or reception of voice, images or other data, including apparatus for communication in a wired or wireless network (such as a local or wide area network) :-- Machines for the reception, conversion and transmission or regeneration of voice, images or other data, including switching and routing apparatus 8517620000 Customs Tariff Number **Dimensions** Product Net Depth / 170 mm Length Product Net Height 230 mm Product Net Width 60 mm Product Net Weight 0.4 kg Environmental RoHS Status Following EU Directive 2011/65/EU WEEE Category 5. Small Equipment (No External Dimension More Than 50 cm) Number of Batteries

Categories

3

Control Systems → 800xA → Controllers → AC 800M Control Software → AC 800M Control Software 4.0 → Communication Modules

Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.0 → Communication Modules

Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 4.1 → Communication Modules

 $Control\ Systems \rightarrow 800xA \rightarrow Controllers \rightarrow AC\ 800M\ Hardware \rightarrow AC\ 800M\ Hardware\ 5.0 \rightarrow Communication\ Modules$

Control Systems → 800xA → Controllers → AC 800M Hardware → AC 800M Hardware 5.1 → Communication Modules

Control Systems → 800xA → System → 800xA System → 800xA 6.0 System → Communication Modules

 $\text{Control Systems} \rightarrow \text{Advant OCS with Master SW} \rightarrow \text{Controllers} \rightarrow \text{Advant Controller 160} \rightarrow \text{Advant Controller 160} \rightarrow \text{Advant Controller 160} \rightarrow \text{Communication Modules}$

 $\text{Control Systems} \rightarrow \text{Advant OCS with Master SW} \rightarrow \text{Controllers} \rightarrow \text{Advant Controller 450} \rightarrow \text{Advant Controller 450} \rightarrow \text{Advant Controller 450} \rightarrow \text{Communication Modules}$

Control Systems → Advant OCS with MOD 300 SW → Controllers → AC460 → Communication Modules

Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 4.1 → Communication Modules

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M $5.0 \rightarrow$ Communication Modules

Control Systems → Compact Product Suite → Controllers → AC 800M → AC 800M 5.1 → Communication Modules

Control Systems \rightarrow Compact Product Suite \rightarrow Controllers \rightarrow AC 800M \rightarrow AC 800M $6.0 \rightarrow$ Communication Modules

Control Systems → Safety Systems → Safeguard → Safeguard 400 Series → Safeguard 400 1.6 → Communication Modules

Control Systems → Advant OCS with Master SW → Controllers → Advant Controller 110 → Communication Modules

 $\text{Control Systems} \rightarrow \text{Advant OCS with Master SW} \rightarrow \text{Controllers} \rightarrow \text{Advant Controller 160} \rightarrow \text{Advant Controller 160} \rightarrow \text{Advant Controller 160} \rightarrow \text{Communication Modules}$

Control Systems \rightarrow Advant OCS with Master SW \rightarrow Controllers \rightarrow Advant Controller 410 \rightarrow Advant Controller 410 Version 1.5 \rightarrow Communication Modules

 $\text{Control Systems} \rightarrow \text{Advant OCS with Master SW} \rightarrow \text{Controllers} \rightarrow \text{Advant Controller 450} \rightarrow \text{Advant Controller 450} \rightarrow \text{Advant Controller 450} \rightarrow \text{Communication Modules}$

 $\text{Control Systems} \rightarrow \text{Advant OCS with Master SW} \rightarrow \text{Controllers} \rightarrow \text{Advant Controller 450RMC} \rightarrow \text{Advant Controller 450RMC} \rightarrow \text{Advant Controller 450RMC} \rightarrow \text{Communication Modules}$

Control Systems \rightarrow Advant OCS with MOD 300 SW \rightarrow Controllers \rightarrow AC410 \rightarrow Communication Modules

Control Systems → Advant OCS with MOD 300 SW → Controllers → AC460 → Communication Modules

